

A sampling of the diversity of life on Earth might include a redwood tree, a jellyfish, a bacterium, a tiger, and a mushroom. At one time, living things seemed so varied that the only characteristic they were thought to have in common was a mysterious “vital force” that made them all alive. Then, with the invention of the microscope, biologists discovered cells. By the late nineteenth century, they realized that all living things are made of cells and that an organism is alive because its cells are alive. Even though the life of a redwood tree and that of a jellyfish seem quite different, these two organisms look and function much the same on the cellular level. Now we have electron microscopes, and we can zoom in on the intricate structures within a single cell. We can take cells apart and analyze their chemistry, or probe them with radioactive isotopes, antibodies, lasers, or fluorescent dyes. This chapter describes what these techniques have revealed about the life of a cell.

Organizing Your Knowledge

Exercise 1 (Modules 4.1 – 4.2)

Web/CD Activity 4A *Metric System Review*

Web/CD Thinking as a Scientist *Connection: What Is the Size and Scale of Our World?*



Use the information in the two modules and the chart in Module 4.2 to complete the following table comparing microscopes and the unaided human eye.

	<i>Unaided Eye</i>	<i>Light Microscope</i>	<i>Electron Microscope. (SEM or TEM)</i>
Kind of radiation (beam) used	1.	2.	3.
Parts that focus beam	4.	5.	6.
Maximum magnification	7.	8.	9.
Smallest objects visible	10.	11.	12.
Ability to separate close objects (resolution)	13.	14.	15.
Limitations	16.	17.	18.

Exercise 2 (Module 4.2)

Web/CD Thinking as a Scientist *Connection: What Is the Size and Scale of Our World?*

We need to use a microscope to see cells because cells are so small. Why can't a cell be as big as a house, or at least as big as a baseball? Compare the two cells diagrammed below. For each cell, calculate the surface area, volume, and ratio of surface area to volume. Then answer the questions.



Cell 1

Surface area: $s = 6 \times (l \times l) =$	Cell 2
Volume: $v = l \times l \times l =$	Surface area: $s = 6 \times (l \times l) =$
Surface/volume: $s/v =$	Volume: $v = l \times l \times l =$
	Surface/volume: $s/v =$

1. Which cell has the greater surface area?

2. Which cell has the greater volume?

3. Which cell has the greater ratio of surface area to volume?

4. In which cell would the surface area of the membrane most efficiently service the cytoplasm?

Exercise 4 (Modules 4.3 – 4.4)

Web/CD Activity 4B *Prokaryotic Cell Structure and Function*
 Web/CD Activity 4C *Comparing Prokaryotic and Eukaryotic Cells*
 Web/CD Activity 4D *Build an Animal Cell and a Plant Cell*

Examine the diagrams and text, and then compare the structures of the cells of prokaryotes, plants, and animals by checking off their characteristics below. You may want to revise or refer to this checklist as you complete the chapter.

<i>Characteristic</i>	<i>Prokaryote Cell</i>	<i>Plant Cell</i>	<i>Animal Cell</i>
Prokaryotic structure			
Eukaryotic structure			
Relatively large size			
Relatively small size			
Membranous organelles			
Plasma membrane			
Cell wall			
Cytoplasm			
Ribosomes			
Bacterial flagellum			
Nucleus			
Rough endoplasmic reticulum			
Smooth endoplasmic reticulum			
Golgi apparatus			
Lysosome			
Peroxisome			
Mitochondrion			
Chloroplast			
Central vacuole			
Cytoskeleton			
Flagellum			
Centriole			

Exercise 5 (Modules 4.5 - 4.13)Web/CD Activity 4E *Overview of Protein Synthesis*Web/CD Activity 4F *The Endomembrane System*


Review the nucleus and the various structures that make up the endomembrane system by matching each phrase on the right with a structure from the list on the left. Answers can be used more than once.

- | | | |
|------------------------|-------|---|
| A. Nucleus | _____ | 1. Lipids manufactured here |
| B. Transport vesicle | _____ | 2. Small structure that makes protein |
| C. Central vacuole | _____ | 3. Contains chromatin |
| D. Smooth ER | _____ | 4. Sac of enzymes that digest things |
| E. Lysosome | _____ | 5. Carries secretions for export from cell |
| F. Golgi apparatus | _____ | 6. Breaks down drugs and toxins in liver |
| G. Rough ER | _____ | 7. Makes cell membranes |
| H. Contractile vacuole | _____ | 8. Cell control center |
| I. Ribosome | _____ | 9. Numerous ribosomes give it its name |
| | _____ | 10. "Ships" products to plasma membrane, outside, or other organelles |
| | _____ | 11. May store water, needed chemicals, wastes, pigments in plant cell |
| | _____ | 12. Buds off from Golgi apparatus |
| | _____ | 13. Defective in Pompe's disease and Tay-Sachs disease |
| | _____ | 14. Proteins made and modified here for secretion from cell |
| | _____ | 15. Pumps out excess water from some cells |
| | _____ | 16. Nonmembranous organelle |
| | _____ | 17. Takes in transport vesicles from ER and modifies their contents |
| | _____ | 18. Digests food, wastes, foreign substances |
| | _____ | 19. Surrounded by double layer of membrane with pores |
| | _____ | 20. How proteins, other substances get from ER to Golgi apparatus |
| | _____ | 21. Stores calcium in muscle cells |
| | _____ | 22. Marks and sorts molecules to be sent to different destinations |
| | _____ | 23. Buds off lysosomes |

Exercise 6 (Modules 4.6 – 4.13)

Web/CD Activity 4E *Overview of Protein Synthesis*
 Web/CD Activity 4F *The Endomembrane System*

Sketch and label the endomembrane system on this diagram. Include **rough ER, smooth ER, ribosomes, Golgi apparatus, lysosome, nuclear envelope, transport vesicles, and plasma membrane**. (1) Trace the path of a protein from its site of manufacture to the outside of the cell with a red arrow. (2) Trace the path of a protein incorporated into a lysosome in blue. (3) Trace the path of a protein incorporated into the plasma membrane in green. (4) Trace the path of a lipid secreted from the cell in yellow.



Exercise 7 (Modules 4.14 – 4.15)

Web/CD Activity 4G *Build a Chloroplast and a Mitochondrion*

Both mitochondria and chloroplasts are energy converters, but their functions are quite different. Compare them by filling in the chart below.

	<i>Chloroplast</i>	<i>Mitochondrion</i>
Found in the following organisms ...		
Carries out process of ...		
Converts energy of ...		
Into chemical energy in ...		

Exercise 8 (Modules 4.16 – 4.17)Web/CD Activity 4H *Cilia and Flagella*

Compare the components of the cytoskeleton by indicating with a checkmark which of the following are characteristics of microfilaments, intermediate filaments, or microtubules.

	<i>Microfilaments</i>	<i>Intermediate Filaments</i>	<i>Microtubules</i>
Hollow tubes			
Solid rods			
Ropelike structure			
Made of tubulin			
Made of actin			
Made of fibrous proteins			
Help cell change shape			
Reinforcing rods, anchor organelles			
Act in muscle cell contraction			
Move chromosomes			
Act as tracks for organelle movement			
Give cell rigidity, shape			
In cilia			
In flagella			
In centrioles			
9 + 2 pattern			
Dynein arms cause bending movement			

Exercise 9 (Module 4.18)Web/CD Activity 4I *Cell Junctions*

Match each of the cell surface characteristics or structures on the left with a phrase on the right.

- A. Tight junction
- B. Plasmodesma
- C. Anchoring junction
- D. Cell wall
- E. Gap junction
- F. Extracellular matrix

- ___ 1. Channel between animal cells
- ___ 2. Rigid cellulose covering of plant cell
- ___ 3. Link animal cells in leakproof sheet
- ___ 4. Channel between plant cells
- ___ 5. Connects animal cells into a strong sheet
- ___ 6. Sticky layer holds animal cells together

Testing Your Knowledge

Multiple Choice

- To enter or leave a cell, substances must pass through
 - a microtubule.
 - the Golgi apparatus.
 - a ribosome.
 - the nucleus.
 - the plasma membrane.
- Which of the following would *not* be considered part of a cell's cytoplasm?
 - a ribosome
 - the nucleus
 - a mitochondrion
 - a microtubule
 - fluid between the organelles
- Which of the following consist of prokaryotic cells?
 - plants and animals
 - bacteria and archaea
 - plants, fungi, bacteria, and archaea
 - animals
 - plants, bacteria, and archaea
- Organelles involved in energy conversion are the
 - rough ER and Golgi apparatus.
 - nucleus and smooth ER.
 - nucleus and chloroplast.
 - lysosome and ribosome.
 - mitochondrion and chloroplast.
- The maximum size of a cell is limited by
 - its need for enough surface area for exchange with its environment.
 - the number of organelles that can be packed inside.
 - the materials needed to build it.
 - the amount of flexibility it needs to be able to move.
 - the amount of food it needs to survive.
- You would expect a cell with an extensive Golgi apparatus to
 - make a lot of ATP.
 - secrete a lot of material.
 - move actively.
 - perform photosynthesis.
 - store large quantities of food.
- Which of the following correctly matches an organelle with its function?
 - mitochondrion—photosynthesis
 - nucleus—cellular respiration
 - ribosome—manufacture of lipids
 - lysosome—movement
 - central vacuole—storage
- Cellular metabolism is
 - a type of cell division.
 - the process by which certain parts cause a cell to “self-destruct.”
 - the chemical activity of a cell.
 - movement of a cell.
 - control of the cell by the nucleus.
- Which of the following stores calcium, important in muscle contraction?
 - mitochondria
 - smooth ER
 - the Golgi apparatus
 - contractile vacuoles
 - rough ER
- Of the following organelles, which group is involved in manufacturing substances needed by the cell?
 - lysosome, vacuole, ribosome
 - ribosome, rough ER, smooth ER
 - vacuole, rough ER, smooth ER
 - smooth ER, ribosome, vacuole
 - rough ER, lysosome, vacuole
- The internal skeleton of a cell is composed of
 - microtubules, intermediate filaments, and microfilaments.
 - cellulose and intermediate filaments.
 - cellulose, microtubules, and centrioles.
 - microfilaments.
 - microfilaments and cellulose.

Essay

- What are the advantages of an electron microscope over a light microscope? For what tasks would it be preferable to use a light microscope?
- Briefly describe the major differences between prokaryotic and eukaryotic cells.
- Name the structures present in plant cells but lacking in animal cells, and describe their functions.

4. Explain the advantages eukaryotic cells derive from being compartmentalized by many internal membranes.
5. Compare the functions of chloroplasts and mitochondria in a plant cell.

Applying Your Knowledge

Multiple Choice

1. A cell has mitochondria, ribosomes, smooth ER, and other parts. Based on this information, it could *not* be
 - a. a cell from a pine tree.
 - b. a grasshopper cell.
 - c. a yeast (fungus) cell.
 - d. a bacterium.
 - e. Actually, it could be any of the above.
2. Dye injected into a cell might be able to enter an adjacent cell through a
 - a. tight junction.
 - b. microtubule.
 - c. vacuole.
 - d. plasmodesma.
 - e. lysosome.
3. If a cell's chromatin were damaged, the cell would
 - a. swell up and burst.
 - b. run out of energy needed for its activities.
 - c. go out of control.
 - d. not be able to absorb light.
 - e. divide immediately.
4. A researcher made an interesting observation about a protein made by the rough ER and eventually used to build a cell's plasma membrane. The protein in the membrane was actually slightly different from the protein made in the ER. The protein was probably changed in the
 - a. Golgi apparatus.
 - b. smooth ER.
 - c. mitochondrion.
 - d. nucleus.
 - e. chloroplast.
5. If the nucleus is a cell's "control center," and chloroplasts its "solar collectors," which of the following might be called the cell's combination "food processor" and "garbage disposer"?
 - a. lysosome
 - b. Golgi apparatus
 - c. flagellum
 - d. ribosome
 - e. nucleolus
6. When elongated, tube-shaped cells from the lining of the intestine are treated with a certain chemical, the cells sag and become round blobs. The internal structures disrupted by this chemical are probably
 - a. cell junctions.
 - b. microtubules.
 - c. smooth and rough ER.
 - d. mitochondria.
 - e. microfilaments.
7. The electron microscope has been particularly useful in studying prokaryotes, because
 - a. electrons can penetrate tough prokaryotic cell walls.
 - b. prokaryotes are so small.
 - c. prokaryotes move so quickly they are hard to photograph.
 - d. they aren't really alive, so it doesn't hurt to "kill" them for viewing.
 - e. their organelles are small and tightly packed together.
8. A cell possesses ribosomes, a plasma membrane, a cell wall, and other parts. It could *not* be
 - a. a bacterium.
 - b. a cell from a fungus.
 - c. a cell from a mouse.
 - d. an oak tree cell.
 - e. a bacterium or a plant.
9. A mutant plant cell unable to manufacture cellulose would be unable to
 - a. build a cell wall.
 - b. divide.
 - c. capture sunlight.
 - d. move.
 - e. store food.